

PUNJAB POLLUTION CONTROL BOARD

Punjab Pollution Control Board, Zonal Office-I, Vatavaran Bhawan, Nabha Road, Patiala Website:- www.ppcb.gov.in

Industry Registration ID:	Office Dispatch No:
R14SAS717830	Registered/Speed Post
Application No:	Date: 13/3
9456358	POC

To,

DINESH JINDAL ZAIRKPUR MOHALI,PUNJAB-140603

Subject: Grant of 'Consent to Establish' (NOC) for an industrial unit u/s 25 of Water (Prevention & Control of Pollution) Act, 1974 and u/s 21 of Air (Prevention & Control of Pollution) Act, 1981.

With reference to your application for obtaining fresh 'Consent to Establish'(NOC) an industrial plant u/s 25 of Water (Prevention & Control of Pollution) Act, 1974 and u/s 21 of Air (Prevention & Control of Pollution) Act, 1981, you are, hereby, permitted to establish the industrial unit to discharge the effluent(s) & emission(s) arising out of your premises subject to the Terms and Conditions as specified in this Certificate.

1. Particulars of Consent to Establish (NOC) granted to the Industry

Certificate No.		CTE/Fresh/SAS/2019/9456358
Date of issue :	and the second s	13/03/2019
Date of expiry :	was to the second	30/09/2019
Certificate Type:	A STATE OF THE STA	Fresh

2. Particulars of the Industry

Name & Designation of the Applicant	DINESH JINDAL, (PEER MUCHALA , ziarkpur)
Address of Industrial premises	Group housing project dinesh jindal. Peer muchalla - ziarkpur. Derabassi,Sas nagar-140603
Capital Investment of the Industry	700.0 lakhs
Category of Industry	Orange
Type of Industry	Other
Scale of the Industry	Small
Office District	Sas nagar
Consent Fee Details	Rs. 9000/- vide R. no. 13/4853 dated 25.02.2019. Rs. 9,500/- vide R. no. 67/4851 dated 06.02.2019 Fee is adequate upto 30.09.2019
Raw Materials (Name with quantity per day)	Housing Project having 48 Flats.
Products (Name with quantity per day)	Housing Project having 48 Flats.
By-Products, if any, (Name with quantity per day)	waren's

Details of the machinery and processes	AS per Application no. 9456358
Details of the Effluent Treatment Plant	Domestic Effluent @ 26.0 KLD
Mode of Disposal of Effluent	The treated wastewater will be used for irrigation of green area and remaining will be discharged into MC, sewer.
Standards to be achieved under Water (Prevention & Control of Pollution) Act, 1974	As per effluent standards prescribed by the PPCB/ MoEF&CC from time to time.
Sources of emissions and type of pollutants	Nil
Mode of disposal of emissions with stack height	
Quantity of fuel required in TPD	1000
Type of Air Pollution Control Devices to be installed	
Standars to be achieved under Air (Prevention & Control of Pollution) Act, 1981	As per emission standards prescribed by the PPCB/ MoEF&CC from time to time.

13/03/2019

(Rakesh Kumar) Environmental Engineer

For & on behalf

(Punjab Pollution Control Board)

Dated:

Endst. No.:

The Environmental Engineer, Punjab Pollution Control Board, Regional Office, SAS Nagar A copy of the above is forwarded to the following for information and necessary action please:

13/03/2019

(Rakesh Kumar) Environmental Engineer

For & on behalf

(Punjab Pollution Control Board)

A. GENERAL CONDITIONS

- . The industry shall apply for consent of the Board as required under the provision of Water (Prevention & Control of Pollution) Act, 1974, Air (Prevention & Control of Pollution) Act, 1981 & Authorization under Hazardous and other Wastes (Management and Transboundary Movement) Rules, 2016, two months before the commissioning of the industry.
- 2 The industry shall provide adequate arrangements for fighting the accidental leakages/ discharge of any air pollutant/gas/liquids from the vessels, mechanical equipments etc. which are likely to cause environmental
- w The Industry shall apply for further extension in the validity of the CTE atleast two months before the expiry of this CTE, if applicable.
- 4 The industry shall comply with any other conditions laid down or directions issued by the Board under the provisions of the Water (Prevention & Control of Pollution) Act, 1974 and the Air (Prevention & Control of Pollution) Act, 1981 from time to time.
- S The project has been approved by the Board from pollution angle and the industry shall obtain the approval of site from other concerned departments, if need be.
- 6. The industry shall get its building plans approved under the provisions of section 3-A of Punjab Factory Rules, 1952.
- 7. The industry shall put up display board indicating the Environment data in the prescribed format at the main entrance gate.
- The industry shall provide port-holes, platforms and/or other necessary facilities as may be required for collecting samples of emissions from any chimney, flue or duct or any other outlets.

Specifications of the port-holes shall be as under:-

The sampling ports shall be provided atleast 8 times chimney diameter downstream and 2 times upstream from the flow disturbance. For a rectangular cross section the equivalent diameter (De) shall be calculated from the following equation to determine upstream, downstream distance:-

De = 2 LW / (L+W)

Where L= length in mts. W= Width in mts.

- The sampling port shall be 7 to 10 cm in diameter
- 9. The industry shall discharge all gases through a stack of minimum height as specified in the following standards laid down by the Board.

(i) Stack height for boiler plants

S.NO.	Boiler with Steam Generating Stack heights Capacity	Stack heights
	Less than 2 ton/hr:	9 meters or 2.5 times the height of neighboring building which ever is more
2.	More than 2 ton/hr. to 5 ton/hr.	12 meters
3.	More than 5 ton/hr. to 10 ton/hr	15 meters
4.	More than 10 ton/hr. to 15 ton/hr	18 meters
5.	More than 15 ton/hr. to 20 ton/hr	21 meters
6.	More than 20 ton/hr. to 25 ton/hr.	24 meters
7.	More than 25 ton/hr. to 30 ton/hr.	27 meters
òo	More than 30 ton/hr.	30 meters or using the formula H = 14 Qg0.3or H = 74 (Qp)0.24 Where Qg = Quantity of SO2 in Kg/hr. Qp = Quantity of particulate matter in Ton/day

Note: Minimum Stack height in all cases shall be 9.0 mtr. or as calculated from relevant formula

- used for the corresponding steam generation. (ii) For industrial furnaces and kilns, the criteria for selection of stack height would be based on fuel
- (iii) Stack height for diesel generating sets:

Capacity of diesel generating set	Hei	Height of the Stack
0-50 KVA	Height of the building	+ 1.5 mt
50-100 KVA	-do-	+ 2.0 mt.
100-150 KVA	-do-	+ 2.5 mt.
150-200 KVA	-do-	+3.0 mt.
200-250 KVA	-do-	+ 3.5 mt.
250-300 KVA	-do-	+ 3.5 mt.

For higher KVA rating stack height H (in meter) shall be worked out according to the formula:

H = h+0.2 (KVA)0.5

where h = height of the building in meters where the generator set is installed

- 10. The industry shall put up canopy on its DG sets and also provide stack of adequate height as per norms prescribed by the Board and shall ensure the compliance of instructions issued by the Board vide office order no. Admin./SA-2/F.No.783/2011/448 dated 8/6/2010.
- Ξ The industry shall put up canopy on its DG sets and also provide stack of adequate height as per norms prescribed by the Board and shall ensure the compliance of instructions issued by the Board vide office order no. Admin./SA-2/F.No.783/2011/448 dated 8/6/2010.
- Ξ Once in Year for Small Scale Industries
- Ξ Four in a Year for Large/Medium Scale Industries
- (EE) The industry will submit monthly reading/ data of the separate energy meter installed for running of effluent treatment plant/re-circulation system to the concerned Regional Office of the Board by the 5th of the following month.
- 12. the 5th day of the following month. The industry shall provide flow meters at the source of water supply, at the outlet of effluent treatment plant and shall maintain the record of the daily reading and submit the same to the concerned Regional Office by
- 13. The industry shall make necessary arrangements for the monitoring of stack emissions and shall get its emissions analyzed from lab approved / authorized by the Board:-
- Ξ Once in Year for Small Scale Industries
- Ξ Twice/thrice/four time in a Year for Large/Medium Scale Industries.
- 14 The pollution control devices shall be interlocked with the manufacturing process of the industry
- 15 The Board reserves the right to revoke this "consent to establish" (NOC) at any time, in case the industry is found violating any of the conditions of this "consent to establish" and/or the provisions of Water (Prevention & Control of Pollution) Act, 1974 and Air (Prevention & Control of Pollution) Act, 1981 as amended from time to time.
- 16. The industry shall plant minimum of three suitable varieties of trees at the density of not less than 1000 trees per acre along the boundary of the industrial premises.
- 17. The issuance of this consent does not convey any property right in either real or personal property, or any exclusive privileges, nor does it authorize any injury to private property or any invasion of personal rights, nor any infringement of Central, State or Local Laws or Regulations.
- 18 The consent does not authorize or approve the construction of any physical structures or facilities for undertaking of any work in any natural watercourse.
- 19 Nothing in this NOC shall be deemed to neither preclude the institution of any legal action nor relieve the applicant from any responsibilities, liabilities or penalties to which the applicant is or may be subjected under this or any other Act.
- 20 The diversion or bye pass of any discharge from facilities utilized by the applicant to maintain compliance with the terms and conditions of this consent is prohibited except.
- Ξ Where unavoidable to prevent loss of life or some property damage or
- Where excessive storm drainage or run off would damage facilities necessary for compliance with terms and conditions of this consent. The applicant shall immediately notify the consent issuing authority in writing of each such diversion or bye-pass.
- 21. The industry shall ensure that no water pollution problem is created in the area due to discharge of effluents from its industrial premises.