

Regd Post

विंग कमांडर

Tele: 011-23060231/5216

संक्रिया निदेशालय
वायु यातायात सेवाएं
वायु सेना मुख्यालय
नई दिल्ली -110 106

Air HQ/S 17726/4/ATS (Ty BM -MCCXCVII)


21 Sep 12

✓ M/s Sukhm Infrastructure Pvt Ltd
SCO 123-124, 3rd Floor,
Sector-17C, Chandigarh-160 017

**ISSUE OF NOC FOR CONSTRUCTION OF BUILDING FOR IT PARK AT
SECTOR-66A, MOHALI, PUNJAB BY M/S SUKHAM INFRASTRUCTURE
PVT LTD**

1. Reference is made to your application dated 16 May 12.
2. Annexed please find an ink signed copy of 'No Objection Certificate' on the subject issued vide Gol letter MoD No. Air HQ/S 17726/4/ATS (PC-MLII)/ Dy No.594/F/D (Air-II) dated 20 Sep 12. You may please acknowledge the receipt of this letter.

Yours faithfully,


(अंकुर मुदगल)
विंग कमांडर
जेडि ओपस (ए टि एस)

No. Air HQ/S 17726/4/ATS(PC-MLII)

Dy. No. 594/F/D(Air-II)

Government of India

Ministry of Defence

New Delhi, the 20th Sep, 2012.

To

M/s Sukhm Infrastructures Pvt Ltd.
SCO 123-124, 3rd Floor,
Sector-17C, Chandigarh – 160017.


Subject : Issue of 'NOC' for construction of building for IT park at Sector-66A, Mohali, Punjab by M/s Sukhm Infrastructures Pvt Ltd.

Sir,

I am directed to refer to your application dated 16.05.2012 on the above subject and to say that Air HQ has no objection for construction of 44.20 meters high IT integrated mega township project at Sector-66A, Mohali, Punjab by M/s Sukhm Infrastructures Pvt Ltd, subject to the following conditions:-

- a) The vertical extent (highest point) of the buildings shall not exceed 44.20 meters above ground level/ 349.20 meters above mean sea level.
 - b) Standard obstruction lightings to be provided by the company. The lights shall be switched 'ON' during night and poor visibility. Provision shall be made for standby power supply to the light to keep them 'ON' during power failure.
 - c) Periodic maintenance of obstruction lightings is to be carried out by the housing society/owner/tenants at regular intervals to keep them in visible/serviceable condition.
 - d) A garbage treatment plant shall be installed prior to the construction of buildings for the purpose of avoiding bird activity. The plant shall be shown to the AOC/his nominated representative at AF Stn Chandigarh on installation.
 - e) The commencement, completion of works inclusive installation of obstruction lights shall be intimated to AOC, AF Stn Chandigarh.
 - f) The validity of this NOC is five years from the date of issue. If the construction for which NOC has been issued, does not complete within five years of issue or found to be in deviation from original proposal the NOC shall be deemed null and void. It will be the responsibility of the applicant to obtain fresh NOC for the proposal.
 - g) Required security clearance should be obtained through MHA/IB of the foreign Nationals/Indian representative employed/to be employed by the company in India.
2. You are also requested to obtain No Objection from other concerned Government Organization/Agencies as required.

Yours faithfully



(A.S. Chowdhury)

Under Secretary to the Government of India