



सत्यमेव जयते

File No: 2025/EC/E/286
Government of India
Ministry of Environment, Forest and
Climate Change
(Issued by the State Environment Impact
Assessment Authority(SEIAA), PUNJAB)



Date 01/10/2025



To,

Mr. Rahul Bansal
M/s Affinity Buildtech
SCO NO.2, Near Shagun mall, Kalka road, Zirakpur , S.A.S Nagar, Punjab-140603
director@affinitybuildtech.com

Subject: Grant of prior Environmental Clearance (EC) to the proposed project under the provision of the EIA Notification 2006 -regarding.

Sir/Madam,

This is in reference to your application submitted to SEIAA, Punjab vide proposal number SIA/PB/INFRA2/475370/2024 dated 24/05/2024 for grant of prior Environmental Clearance (EC) to the proposed project under the provision of the EIA Notification 2006 and as amended thereof.

2. The particulars of the proposal are as below :

(i) EC Identification No.	EC24B3801PB5453279N
(ii) File No.	2025/EC/E/286
(iii) Clearance Type	Fresh EC
(iv) Category	B1
(v) Project/Activity Included Schedule No.	8(a) Building / Construction
(vii) Name of Project	“Affinity Belgravia”
(viii) Name of Company/Organization	M/s Affinity Buildtech
(ix) Location of Project (District, State)	Village Chatt, Tehsil -Zirakpur, SAS Nagar, Punjab
(x) Issuing Authority	SEIAA
(xi) Applicability of General Conditions as per EIA Notification, 2006	No

3. State Environment Impact Assessment Authority (SEIAA), Punjab has examined the proposal for expansion of Group Housing Project namely “Affinity Belgravia” located at Village Chatt, Tehsil - Zirakpur, SAS Nagar, Punjab by M/s Affinity Buildtech for increase in land area from 38,976 sqm to 49,612 sqm and increase in the built-up area from 1,46,787 sqm to 1,48,706 sqm. The project is covered under category 8(a) of the schedule appended with the EIA Notification dated 14.09.2006 and its

subsequent amendments and requires appraisal at the State Level.

4. The proposal has been appraised as per the procedure prescribed under the provisions of EIA Notification 14.09.2006 based on mandatory documents enclosed with the online application viz Form-1, Environment Management Plan (EMP), approved layout plan, and additional documents and subsequent presentation /clarifications made by the project proponent and his consultant to the observations of State Environment Impact Assessment Authority (SEIAA) and State Expert Appraisal Committee (SEAC).

5. The details of the project, as per the application and documents/ presentation submitted by the project proponent and also as informed during the meetings of SEAC/SEIAA are as under:

Sr. No.	Item	Details																																	
1.	Name and Location of the project	Expansion of Group Housing Project namely "Affinity Belgravia" located at Village Chatt, Tehsil -Zirakpur, SAS Nagar, Punjab by M/s Affinity Buildtech.																																	
	Project/ activity	8 (a)																																	
	Category as per EIA Notification, 2006	Category B2																																	
2.	Nature of project	Expansion																																	
3.	Latitude & Longitude	<table border="1"> <thead> <tr> <th>Sr. No.</th> <th>Latitude</th> <th>Longitude</th> </tr> </thead> <tbody> <tr> <td>1.</td> <td>30°36'55.16"N</td> <td>76°47'17.76"E</td> </tr> <tr> <td>2.</td> <td>30°36'56.04"N</td> <td>76°47'18.35"E</td> </tr> <tr> <td>3.</td> <td>30°36'56.04"N</td> <td>76°47'22.73"E</td> </tr> <tr> <td>4.</td> <td>30°36'59.50"N</td> <td>76°47'22.88"E</td> </tr> <tr> <td>5.</td> <td>30°37'00.04"N</td> <td>76°47'17.00"E</td> </tr> <tr> <td>6.</td> <td>30°37'02.87"N</td> <td>76°47'16.77"E</td> </tr> <tr> <td>7.</td> <td>30°37'03.32"N</td> <td>76°47'11.61"E</td> </tr> <tr> <td>8.</td> <td>30°37'04.78"N</td> <td>76°47'11.41"E</td> </tr> <tr> <td>9.</td> <td>30°37'04.48"N</td> <td>76°47'09.51"E</td> </tr> <tr> <td>10.</td> <td>30°37'02.43"N</td> <td>76°47'07.96"E</td> </tr> </tbody> </table>	Sr. No.	Latitude	Longitude	1.	30°36'55.16"N	76°47'17.76"E	2.	30°36'56.04"N	76°47'18.35"E	3.	30°36'56.04"N	76°47'22.73"E	4.	30°36'59.50"N	76°47'22.88"E	5.	30°37'00.04"N	76°47'17.00"E	6.	30°37'02.87"N	76°47'16.77"E	7.	30°37'03.32"N	76°47'11.61"E	8.	30°37'04.78"N	76°47'11.41"E	9.	30°37'04.48"N	76°47'09.51"E	10.	30°37'02.43"N	76°47'07.96"E
		Sr. No.	Latitude	Longitude																															
		1.	30°36'55.16"N	76°47'17.76"E																															
		2.	30°36'56.04"N	76°47'18.35"E																															
		3.	30°36'56.04"N	76°47'22.73"E																															
		4.	30°36'59.50"N	76°47'22.88"E																															
		5.	30°37'00.04"N	76°47'17.00"E																															
		6.	30°37'02.87"N	76°47'16.77"E																															
		7.	30°37'03.32"N	76°47'11.61"E																															
		8.	30°37'04.78"N	76°47'11.41"E																															
		9.	30°37'04.48"N	76°47'09.51"E																															
10.	30°37'02.43"N	76°47'07.96"E																																	
4.	Change of Land Use	As per Master plan of Zirakpur Planning Area, the location of the Project falls in Residential Zone.																																	
5.	Cost of the project	Rs. 182 Crores (Total project cost after expansion)																																	
6.	Total Plot Area, Built-up Area, and Green area	The details of the total area is as under:																																	
		<table border="1"> <thead> <tr> <th>Sr. No.</th> <th>Description</th> <th>As per EC</th> <th>Proposed</th> <th>Total</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>Land area</td> <td>38,976 Sqm</td> <td>10,636 Sqm</td> <td>49,612 Sqm</td> </tr> <tr> <td>2</td> <td>Built up area</td> <td>1,46,787 Sqm</td> <td>1,919 Sqm</td> <td>1,48,706 Sqm</td> </tr> </tbody> </table>	Sr. No.	Description	As per EC	Proposed	Total	1	Land area	38,976 Sqm	10,636 Sqm	49,612 Sqm	2	Built up area	1,46,787 Sqm	1,919 Sqm	1,48,706 Sqm																		
		Sr. No.	Description	As per EC	Proposed	Total																													
1	Land area	38,976 Sqm	10,636 Sqm	49,612 Sqm																															
2	Built up area	1,46,787 Sqm	1,919 Sqm	1,48,706 Sqm																															

		3	Green Area	11,025 Sqm	-3,034 Sqm	7,991 Sqm
7.	Estimated Population	Total Population:				
		Total No of flats 512 · Flats 14 (5 BHK) · Flats 297 (4 BHK) · Flats 201 (3 BHK)	· 14 flats@ 7 residents each per flat · 297 flats@ 7 residents each per flat · 201 flats@ 6 residents each per flat Total Population	98 Persons 2079Persons 1206 Persons 3383Persons		
		Shops 20	shops 20 @ 2 Persons each per Shop	40 Persons		
		Club Area 1495 Sqm	1495 @ 1 Person per 1.4 sqm	1068 Persons		
		Commercial Pocket 1 G.F=1479 Sqm F.F and S.F(1438+1438)=2876 Sqm	1479 Sqm / 3 Persons/ Sqm 2876 Sqm/ 6 Persons/ Sqm 3558 Sqm/3 Persons/Sqm 1756 Sqm / 6Persons/Sqm	493 Persons 479 Persons 1186 Persons 293 Persons 2451 Persons		
		Commercial Pocket 2& 3 Lower G.F + Upper G.F(1756+1802)=3558 Sqm F.F=1756 Sqm Total Population				
		Floating population 15 % of 3383	-	507 Persons		
		Total Population	-	7449 Persons		
		Permanent population 10% of Total 2451 Floating Population 90 % of Total 2451	245 @ 45 lit./day 2206 @ 15 lit./day	11 KLD 33 KLD		
		Flats Population	3383 @ 135 lit./day	457 KLD		
		Shops Population	40 @ 45 lit./day	2 KLD		
		Club Population	1068 @ 45 lit./day	48 KLD		
		Floating population 15 % of 3383	507 @ 15 lit./day	8 KLD		
		Green Area	7991Sqm @5.5 lit./Sqm	44 KLD		
		Total Domestic water required	-	559 KLD		
		Total Discharge @ 80% to STP	-	447 KLD		

		Flushing Flushing 3383 @45 ltr/person/day Flushing (40+ 1068+245) 1353 @ 20 ltr/person/day Flushing (2206+507) = 2713@10 ltr/person/day	152 KLD 27 KLD 27 KLD																																				
8.	Area Configuration Details	The details of the area as under:																																					
		<table border="1"> <thead> <tr> <th>Description</th> <th>EC Accorded (in sq.m.)</th> <th>Proposed (in sq.m.)</th> <th>Total (after Expansion) (in sq.m.)</th> </tr> </thead> <tbody> <tr> <td>Size of the project</td> <td>38976 Sqm</td> <td>10636 Sqm</td> <td>49612 Sqm</td> </tr> <tr> <td>Built up area</td> <td>146787 Sqm</td> <td>1919 Sqm</td> <td>148706 Sqm</td> </tr> <tr> <td>Estimated population</td> <td>2550 Persons</td> <td>4899 Persons</td> <td>7449 Persons</td> </tr> <tr> <td>STP capacity</td> <td>400 KLD</td> <td>200 KLD</td> <td>600 KLD</td> </tr> <tr> <td>Power requirement & source</td> <td>2600 KW</td> <td>2400 KW</td> <td>7000 KW From State Grid</td> </tr> <tr> <td>Water Demand</td> <td>218 KLD</td> <td>341 KLD</td> <td>559 KLD</td> </tr> <tr> <td>Waste Generation</td> <td>170 KLD</td> <td>277 KLD</td> <td>447 KLD</td> </tr> <tr> <td>MSW</td> <td>1014 Kg/Day</td> <td>1152 Kg/Day</td> <td>2166 Kg/Day</td> </tr> </tbody> </table>	Description	EC Accorded (in sq.m.)	Proposed (in sq.m.)	Total (after Expansion) (in sq.m.)	Size of the project	38976 Sqm	10636 Sqm	49612 Sqm	Built up area	146787 Sqm	1919 Sqm	148706 Sqm	Estimated population	2550 Persons	4899 Persons	7449 Persons	STP capacity	400 KLD	200 KLD	600 KLD	Power requirement & source	2600 KW	2400 KW	7000 KW From State Grid	Water Demand	218 KLD	341 KLD	559 KLD	Waste Generation	170 KLD	277 KLD	447 KLD	MSW	1014 Kg/Day	1152 Kg/Day	2166 Kg/Day	
Description	EC Accorded (in sq.m.)	Proposed (in sq.m.)	Total (after Expansion) (in sq.m.)																																				
Size of the project	38976 Sqm	10636 Sqm	49612 Sqm																																				
Built up area	146787 Sqm	1919 Sqm	148706 Sqm																																				
Estimated population	2550 Persons	4899 Persons	7449 Persons																																				
STP capacity	400 KLD	200 KLD	600 KLD																																				
Power requirement & source	2600 KW	2400 KW	7000 KW From State Grid																																				
Water Demand	218 KLD	341 KLD	559 KLD																																				
Waste Generation	170 KLD	277 KLD	447 KLD																																				
MSW	1014 Kg/Day	1152 Kg/Day	2166 Kg/Day																																				
		Salient features of the proposed project:																																					
		<table border="1"> <tbody> <tr> <td>Total Domestic Water Requirement & source</td> <td>559 KLD & (Ground water) required 353 KLD</td> </tr> <tr> <td>Waste water generation</td> <td>447 KLD</td> </tr> <tr> <td>Mode of disposal</td> <td>Reuse in flushing, green area</td> </tr> <tr> <td>Solid waste generation</td> <td>2166 Kg/Day</td> </tr> <tr> <td>D.G sets</td> <td>2X 240, 2 X 500 KVA</td> </tr> <tr> <td>Green Area</td> <td>7991 Sqm</td> </tr> <tr> <td>Cost of Project</td> <td>182 Cr</td> </tr> </tbody> </table>	Total Domestic Water Requirement & source	559 KLD & (Ground water) required 353 KLD	Waste water generation	447 KLD	Mode of disposal	Reuse in flushing, green area	Solid waste generation	2166 Kg/Day	D.G sets	2X 240, 2 X 500 KVA	Green Area	7991 Sqm	Cost of Project	182 Cr																							
Total Domestic Water Requirement & source	559 KLD & (Ground water) required 353 KLD																																						
Waste water generation	447 KLD																																						
Mode of disposal	Reuse in flushing, green area																																						
Solid waste generation	2166 Kg/Day																																						
D.G sets	2X 240, 2 X 500 KVA																																						
Green Area	7991 Sqm																																						
Cost of Project	182 Cr																																						
9.	Water Requirements & source during Operation Phase	Total Water demand details:																																					
		<table border="1"> <thead> <tr> <th>Sr. No.</th> <th>Description</th> <th>EC Accorded</th> <th>Total (After Expansion)</th> </tr> </thead> <tbody> <tr> <td>1.</td> <td>Total Water Demand</td> <td>218 KLD</td> <td>559 KLD</td> </tr> <tr> <td>2.</td> <td>Total Fresh Water</td> <td>165 KLD</td> <td>353 KLD</td> </tr> </tbody> </table>	Sr. No.	Description	EC Accorded	Total (After Expansion)	1.	Total Water Demand	218 KLD	559 KLD	2.	Total Fresh Water	165 KLD	353 KLD																									
Sr. No.	Description	EC Accorded	Total (After Expansion)																																				
1.	Total Water Demand	218 KLD	559 KLD																																				
2.	Total Fresh Water	165 KLD	353 KLD																																				

			Demand																																																				
		3.	Flushing Water Requirement	53 KLD	206 KLD																																																		
		4.	Wastewater generation	174 KLD	447 KLD																																																		
		5.	STP capacity	400 KLD	600 KLD																																																		
10.	Disposal Arrangement of Wastewater	<p>A total of 447 KLD wastewater will be generated which will be treated in the STPs of capacity 600 KLD based on SBR technology followed by UF. The details of the disposal arrangement of treated wastewater @ 447 KLD available at the outlet of STP are given as under:</p> <table border="1"> <thead> <tr> <th>Sr. No.</th> <th>Season</th> <th>Flushing (KLD)</th> <th>Horticulture demand in an area of 7991 sqm. (KLD)</th> <th>Into sewer</th> </tr> </thead> <tbody> <tr> <td>1.</td> <td>Summer</td> <td>206</td> <td>44</td> <td>197</td> </tr> <tr> <td>2.</td> <td>Winter</td> <td>206</td> <td>14</td> <td>227</td> </tr> <tr> <td>3.</td> <td>Rainy</td> <td>206</td> <td>4</td> <td>237</td> </tr> </tbody> </table>				Sr. No.	Season	Flushing (KLD)	Horticulture demand in an area of 7991 sqm. (KLD)	Into sewer	1.	Summer	206	44	197	2.	Winter	206	14	227	3.	Rainy	206	4	237																														
Sr. No.	Season	Flushing (KLD)	Horticulture demand in an area of 7991 sqm. (KLD)	Into sewer																																																			
1.	Summer	206	44	197																																																			
2.	Winter	206	14	227																																																			
3.	Rainy	206	4	237																																																			
11.	Rainwater recharging detail	Rainwater will be recharged by providing 12 no. of recharging pits.																																																					
12.	Solid waste generation and its disposal	<p>a) 2,166 Kg/day</p> <table border="1"> <thead> <tr> <th colspan="5">1. Solid Waste Management (SWM)</th> </tr> <tr> <th colspan="5">Estimation of Solid Waste Generation</th> </tr> <tr> <th>Sr. No.</th> <th>Description</th> <th>Population (No. of Persons)</th> <th>Solid Waste Generation @</th> <th>Total Solid Waste Generation (Kg/day)</th> </tr> </thead> <tbody> <tr> <td>1.</td> <td>Flats</td> <td>3383</td> <td>0.4 kg/day</td> <td>1353</td> </tr> <tr> <td>2.</td> <td>Commercial & Floating Population</td> <td>4066</td> <td>0.2 kg/day</td> <td>813</td> </tr> <tr> <td colspan="4">Total</td> <td>2166 kg/day</td> </tr> <tr> <th colspan="5">Composition of Solid Waste, as per NGT Order dated 20.08.2018 in O.A No. 606/2018 in the matter of, "Compliance of Solid Waste Management Rules, 2016":</th> </tr> <tr> <th>Sr. No.</th> <th>Description</th> <th>Percentage of Total Solid Waste</th> <th colspan="2">Quantity (Kg/day)</th> </tr> <tr> <td>1.</td> <td>Wet Waste</td> <td>50%</td> <td colspan="2">1083</td> </tr> <tr> <td>2.</td> <td>Dry Waste (Recyclable)</td> <td>30%</td> <td colspan="2">650</td> </tr> </tbody> </table>				1. Solid Waste Management (SWM)					Estimation of Solid Waste Generation					Sr. No.	Description	Population (No. of Persons)	Solid Waste Generation @	Total Solid Waste Generation (Kg/day)	1.	Flats	3383	0.4 kg/day	1353	2.	Commercial & Floating Population	4066	0.2 kg/day	813	Total				2166 kg/day	Composition of Solid Waste, as per NGT Order dated 20.08.2018 in O.A No. 606/2018 in the matter of, "Compliance of Solid Waste Management Rules, 2016":					Sr. No.	Description	Percentage of Total Solid Waste	Quantity (Kg/day)		1.	Wet Waste	50%	1083		2.	Dry Waste (Recyclable)	30%	650	
1. Solid Waste Management (SWM)																																																							
Estimation of Solid Waste Generation																																																							
Sr. No.	Description	Population (No. of Persons)	Solid Waste Generation @	Total Solid Waste Generation (Kg/day)																																																			
1.	Flats	3383	0.4 kg/day	1353																																																			
2.	Commercial & Floating Population	4066	0.2 kg/day	813																																																			
Total				2166 kg/day																																																			
Composition of Solid Waste, as per NGT Order dated 20.08.2018 in O.A No. 606/2018 in the matter of, "Compliance of Solid Waste Management Rules, 2016":																																																							
Sr. No.	Description	Percentage of Total Solid Waste	Quantity (Kg/day)																																																				
1.	Wet Waste	50%	1083																																																				
2.	Dry Waste (Recyclable)	30%	650																																																				

3.	Dry Waste (Combustible)	15%	325
4.	Inert Waste	5%	108
Total			2166 Kg/day

b) A Material Recovery Facility (MRF) is proposed to be set up within the project premises in an area of 400 sqm for the management and processing of solid waste as per Solid Waste Management Rules, 2016. The solid waste will be segregated at the material recovery facility for wet waste (bio-degradable waste), dry waste and inert waste. Further, the dry waste will be segregated for recyclable and non-recyclable/RDF (combustible) waste.

c) Management & Disposal of Solid Waste:

Sr. No.	Description	Quantity (Kg/day)	Proposed Infrastructure/Machinery	Applicable Rule
1.	Wet Waste	1083	A mechanical composter of 1200 kg/day capacity is proposed for the processing of wet waste including horticulture waste. A budgetary provision of Rs. 15 lacs have been made in the Environment Management Plan.	Solid Waste Management Rules, 2016 Plastic Waste Management Rules, 2016 § E-Waste (Management) Rules, 2022.
2.	Dry Waste (Recyclable)	650	The recyclable waste (paper, wood, cardboard, metal, glass, rubber etc.) will be disposed of to the authorized recyclers.	Solid Waste Management Rules, 2016. § Plastic Waste Management Rules, 2016
3.	Dry Waste (Combustible)	325	A bailing machine is proposed to be installed for the management and processing of dry waste. A budgetary provision of Rs. 10 lacs have been made in the Environmental Management Plan.	and its amendments. In addition to that the solid waste shall be managed as per THAPAR MODEL in line with Zero waste approach.
4.	Inert Waste	108	Inert waste generated from the project shall be stored within the project premises; until the development as well as operation of a Sanitary Landfill of concern MC.	
Total		2166 Kg/day		

13.	Hazardous Waste & E-waste	Hazardous Waste will be managed & disposed of through authorized vendors as per the Hazardous & Other Wastes (Management & Transboundary Movement) Rules, 2016 and E-Waste shall be managed and disposed of as per E-Waste (Management) Rules 2022 and amendments thereof.
-----	---------------------------	--

14.	Energy Requirements & Saving	<p>Total Power Requirement:</p> <p>a)</p> <table border="1" data-bbox="459 232 1474 450"> <thead> <tr> <th data-bbox="459 232 549 320">SI. No</th> <th data-bbox="549 232 820 320">Description</th> <th data-bbox="820 232 1007 320">EC Accorded</th> <th data-bbox="1007 232 1203 320">Proposed</th> <th data-bbox="1203 232 1474 320">Total (After Expansion)</th> </tr> </thead> <tbody> <tr> <td data-bbox="459 320 549 450">1.</td> <td data-bbox="549 320 820 450">Power Requirement & source</td> <td data-bbox="820 320 1007 450">2600 KW</td> <td data-bbox="1007 320 1203 450">2400 KW</td> <td data-bbox="1203 320 1474 450">7000 KW From State Grid</td> </tr> </tbody> </table> <p>b) 4 DG sets i.e., 2X 240 KVA, 2 X 500 KVA set will be installed equipped with canopy and adequate stack height. DG Set will be provided with acoustic enclosure to minimize noise generation and adequate stack height for proper dispersion.</p> <p>c) Solar Light 200 No = 480 KWHD</p> <p>d) Common area (4000) lights replaced with LED = 2160 KWHD</p> <p>e) Use of Solar water heating system shall be encouraged in the group housing.</p> <p>f) Solar energy will be used for street light on the roads as well as in the parks in phased manner.</p> <p>g) Use of LED lamps shall be encouraged. Energy efficient electrical gadgets shall be used.</p>				SI. No	Description	EC Accorded	Proposed	Total (After Expansion)	1.	Power Requirement & source	2600 KW	2400 KW	7000 KW From State Grid
SI. No	Description	EC Accorded	Proposed	Total (After Expansion)											
1.	Power Requirement & source	2600 KW	2400 KW	7000 KW From State Grid											

6. As per the submissions by Project Proponent, approval/clearance has been obtained for non-forestry use of 0.0038 Ha of forest land, under the Forest (Conservation) Act, 1980, for proposal No. FP/PB/ROAD/416616/2023 on 26.03.2024, and no wildlife sanctuary is located in the vicinity of the project and as such, no NBWL permission is required. Further, no litigation is pending in respect of the land on which the project is to be developed.

7. The SEAC, constituted under the provision of the EIA Notification, 2006 and comprising of expert members/domain experts in various fields, has examined the proposal submitted by the project proponent in the desired form along with the EMP report prepared and submitted by the consultant accredited by the Quality Council of India (QCI)/ National Accreditation Board for Education and Training (NABET) on behalf of the project proponent in its 317th meeting held on 17.06.2025, 320th meeting held on 22.07.2025.

8. After detailed deliberations, the Committee decided to forward the case to SEIAA with the recommendation to grant expansion of Group Housing Project namely "Affinity Belgravia" located at Village Chatt, Tehsil -Zirakpur, SAS Nagar, Punjab for increase in land area from 38,976 sqm to 49,612 sqm and increase in the built-up area from 1,46,787 sqm to 1,48,706 sqm subject to the standard conditions.

9. The case was considered by SEIAA in its 318th meeting held on 15.09.2025 wherein SEIAA observed that the case stands recommended by SEAC. After detailed deliberations, SEIAA decided to accept the recommendations of SEAC and to grant expansion of Group Housing Project namely "Affinity Belgravia" located at Village Chatt, Tehsil -Zirakpur, SAS Nagar, Punjab for increase in land area from 38,976 sqm to 49,612 sqm and increase in the built-up area from 1,46,787 sqm to 1,48,706 sqm subject to the standard conditions proposed by SEAC and additional / amended conditions.

10. Accordingly, SEIAA, Punjab hereby accords Environmental Clearance to the aforesaid project under the provisions of EIA Notification dated 14.09.2006 and its subsequent amendments subject to proposed measures and strict compliance with terms and conditions as per Annexure-1.

11. The SEIAA reserves the right to stipulate additional conditions if found necessary at subsequent stages and the project proponent shall implement all the said conditions in a time-bound manner. SEIAA may revoke or suspend the environmental clearance if the implementation of any of the above conditions is not

found to be satisfactory.

12. Any appeal against this environmental clearance shall lie with the National Green Tribunal, if preferred, within 30 days as prescribed under Section 16 of the National Green Tribunal Act, 2010.

13. This issues as per the decision taken by the Competent Authority.

Copy To

1. The Secretary to Govt. of India, Ministry of Environment and Forest, Paryavaran Bhawan, CGO Complex, Lodhi Road, New Delhi

2. The Secretary, Department of Science, Technology & Environment, Government of Punjab, Chandigarh.

3. The Secretary, Punjab Water Regulation and Development Authority, SCO 149-152, Sector 17-C, Chandigarh-160017.

4. The Regional Officer, Ministry of Environment, Forest and Climate Change, Integrated Regional Office, Bays No. 24-25, Sector 31-A, Dakshin Marg, Chandigarh-160030.

5. The detail of the authorized officer of the project proponent is as under:

- | | | | |
|----|-----------------------------|---|--------------------------------|
| a) | Name of the applicant | : | Sh. Rahul Bansal, Director |
| b) | Mobile No. | : | 99880-01198 |
| c) | Email Id | : | director@affinitybuildtech.com |
| d) | Email ID of Env. Consultant | : | cptleia@gmail.com |

6. The Member Secretary, Central Pollution Control Board, Parivesh Bhawan, East Arjun Nagar, Delhi.

7. The Member Secretary, Punjab Pollution Control Board, Vatavaran Bhawan, Nabha Road, Patiala, 147001.

8. The Deputy Commissioner, SAS Nagar.

9. The Chief Town Planner, Department of Town & Country Planning, 6th Floor, PUDA Bhawan, Phase-8, Mohali.

10. Monitoring Cell, Ministry of Environment, Forest and Climate Change, Indira Paryavaran Bhawan, Jor Bagh Road, New Delhi-110003.

Annexure 1

Specific EC Conditions for (Building / Construction)

1. Additional / Amended Conditions

S. No	EC Conditions
1.1	The project proponent shall remain responsible for compliance of all conditions stipulated in the Environmental Clearance and adherence to applicable environmental laws until the Environmental Clearance is transferred in the name of the transferee or the resident welfare association, as applicable. In such case both the parties shall approach the SEIAA with joint consent for transfer of Environmental Clearance
1.2	The plantation of saplings shall be carried out in the green belt area as a part of the tree plantation campaign "Ek Ped Ma Ke Naam" and the detail of the same shall be uploaded in the MeriLiFE Portal (https://merilife.nic.in) as an assurance to the MoEF&CC Office Memorandum dated

S. No	EC Conditions
	24.07.2024
1.3	The amount allocated for EMP and AEA activities shall be maintained in a separate bank account by the project proponent. The project proponent shall submit periodic audited financial reports and outcomes achieved by utilization of funds reserved for implementation of EMP and AEA activities
1.4	The project proponent shall submit revised AEA plan amounting to Rs. 160 lacs within 02 months. The AEA plan shall be implemented within 24 months from date of approval of AEA plan
1.5	Dedicated and regular Environmental Officer/Manager with requisite technical qualification (B.tech/Diploma in Civil/Chemical Tech/ Environmental Sciences) shall be deputed for continuous compliance of conditions of Environmental Clearance / activities and maintenance of record of the same
1.6	The project proponent shall submit a copy of agreement with authorized recycler for disposal of dry waste as per Solid Waste Management Rules, 2016
1.7	The project proponent shall get the design of Rain Water Harvesting System approved/vetted from Central Ground Water Authority (CGWA) accredited design consultants within 02 months
1.8	The project proponent shall obtain NOC/permission from PWRDA for abstraction of ground water, as applicable
1.9	The Project Proponent shall not give physical possession of the flats to the customers till the outlet of the project sewer is connected with the sewer line of Concerned MC and till the same is connected with a fully operational and adequate capacity terminal STP
1.10	The approval is based on the approved plan/drawings submitted with the application. In case, there is variation in built-up area/green area/ any other details in the drawings approved by the Competent Authority, the project proponent shall obtain the revised Environmental Clearance
1.11	The project proponent shall ensure that the natural drainage channels in the project site including streams, drains, choes, creeks, rivulets, etc. are not disturbed so that the natural flow of rainwater, etc is not impeded or disrupted in any manner
1.12	The solid waste other than Hazardous Waste (dry as well as wet garbage) generated should be properly collected and segregated before disposal to Municipal Authorities in accordance with the Solid Waste (Management) Rules, 2016. No municipal waste should be disposed of outside the premises in contravention of relevant rules and by-laws. Adequate measures should be taken to prevent any odour in and around the project premises
1.13	In the event that the project proponent decides to abandon/close the project at any stage, he shall submit an application in the prescribed form along with requisite documents through PARIVESH to SEIAA for surrendering the Environmental Clearance as per the procedure prescribed in OM dated 29.03.2022 issued by the MoEF&CC. The project proponent shall be accountable for adherence/compliance of the EC conditions till such time as the project is finally closed by SEIAA, based upon the certified closure report of Integrated Regional Offices (IROs) of MoEF&CC, Chandigarh/PPCB
1.14	This Environmental Clearance is liable to be revoked without any further notice to the project

S. No	EC Conditions
	proponent in case of failure to comply with the EC conditions
1.15	Concealing factual data or submission of false/fabricated data may result in revocation of this Environmental Clearance and attract action under the provisions of Environment (Protection) Act, 1986
1.16	The Ministry reserves the right to stipulate additional conditions if found necessary. The Promoter Company in a time bound manner shall implement these conditions
1.17	The above conditions shall be enforced, inter-alia under the provisions of the Water (Prevention & Control of Pollution) Act, 1974, the Air (Prevention & Control of Pollution) Act, 1981, the Environment (Protection) Act, 1986, Hazardous and other wastes (Management and Transboundary Movement) Rules, 2016 and the Public Liability Insurance Act, 1991 along with their amendments and Rules and any other orders passed by the Hon'ble Supreme Court of India/High Courts and any other Court of Law relating to the subject matter
1.18	The project proponent is required to plant indigenous tree species of minimum 8 feet height and healthy growth for development of green area

Standard EC Conditions for (Building / Construction)

1. Statutory Compliance

S. No	EC Conditions
1.1	The project proponent shall obtain all necessary clearances/ permissions from all relevant agencies including the town planning authority before commencement of work. All the construction shall be done in accordance with the local building bye laws
1.2	The project proponent shall obtain the approval of the Competent Authority for the structural safety of buildings due to earthquakes, adequacy of firefighting equipment, etc. as per the National Building Code including protection measures from lightning, etc
1.3	The project proponent shall obtain forest clearance under the provisions of the Forest (Conservation) Act, 1986, in case of the diversion of forest land for non-forest purposes is involved in the project
1.4	The project proponent shall obtain clearance from the National Board for Wildlife, if applicable
1.5	The project proponent shall obtain Consent to Establish / Operate under the provisions of the Air (Prevention & Control of Pollution) Act, 1981 and the Water (Prevention & Control of Pollution) Act, 1974 from the Punjab Pollution Control Board
1.6	The project proponent shall obtain the necessary permission for the abstraction of groundwater/ surface water required for the project from the competent authority
1.7	The project proponent shall obtain a certificate of adequacy of available power from the agency supplying power to the project along with the load allowed for the project

S. No	EC Conditions
1.8	The project proponent shall obtain all other statutory clearances such as the approvals for storage of diesel from the Chief Controller of Explosives, Fire Department, and Civil Aviation Department, as applicable, from the respective competent authorities
1.9	The project proponent shall follow the provisions of the Solid Waste (Management) Rules, 2016, E-Waste (Management) Rules, 2016, Construction & Demolition Waste Rules, 2016, and the Plastics Waste (Management) Rules, 2016
1.10	The project proponent shall follow the Energy Conservation Building Code (ECBC) / Energy Conservation Building Code-Residential (ECBC-R) prescribed by the Bureau of Energy Efficiency, Ministry of Power strictly
1.11	The project site shall conform to the suitability as prescribed under the master plan of the respective city/ town. For that, the project proponent shall submit the NOC/ land use conformity certificate from Department of Town and Country Planning or the Competent Authority under whose jurisdiction, the site falls
1.12	Besides the above, the project proponent shall comply with siting criteria/guidelines, standard operating practices, code of practice, and guidelines if any prescribed by the Punjab Pollution Control Board (PPCB)/Central Pollution Control Board (CPCB)/Ministry of Environment Forest and Climate Change (MoEF&CC) for such types of projects
1.13	The project proponent shall construct the buildings as per the layout plan approved by the Competent Authority and in consonance of the project proposal for which this environment clearance is being granted

2. Air Quality Monitoring And Preservation

S. No	EC Conditions
2.1	The project proponent shall comply with the Notification GSR 94(E) dated 25.01.2018 of MoEF&CC regarding Mandatory Implementation of Dust Mitigation Measures for Construction and Demolition Activities for projects requiring Environmental Clearance
2.2	The project proponent shall draw up and implement a management plan to contain the current exceedance in the ambient air quality at the site
2.3	The project proponent shall install a system to undertake Ambient Air Quality monitoring for common /criterion parameters relevant to the main pollutants released (e.g., PM10 and PM2.5) covering upwind and downwind directions during the construction period
2.4	Diesel power generating sets proposed as a source of backup power should be of enclosed type and conform to rules made under the Environment (Protection) Act, 1986. The height of stack of DG sets should be equal to the height needed for the combined capacity of all proposed DG sets. Use of low sulphur diesel would be the preferred option. The location of the DG sets may be decided in consultation with Punjab Pollution Control Board
2.5	Construction site shall be adequately barricaded before the construction begins. Dust, smoke and other air pollution prevention measures shall be provided for the building as well as the site. These

S. No	EC Conditions
	measures shall include screens for the building under construction, and continuous dust/ wind-breaking walls all around the site (at least 3 m height or 1/3rd of the building height and maximum up to 10 m). Plastic/tarpaulin sheet covers shall be provided for vehicles bringing in sand, cement, murrum, other construction materials and waste prone to causing dust pollution at the site as well as taking out debris from the site
2.6	No excavation of soil shall be carried out without adequate dust mitigation measures in place
2.7	No loose soil or sand or construction and demolition waste or any other construction material that causes dust shall be left uncovered
2.8	No uncovered vehicles carrying construction material and waste shall be permitted
2.9	All the topsoil excavated during construction activities should be stored for use in horticulture/landscape development within the project site
2.10	Grinding and cutting of building material in open areas shall be prohibited. A wet jet shall be provided for grinding and stone cutting
2.11	Unpaved surfaces and loose soil shall be adequately sprinkled with water to suppress dust
2.12	All construction and demolition debris shall be stored at the site within the earmarked area and roadside storage of construction material and waste shall be prohibited. All demolition and construction waste shall be managed as per the provisions of the Construction and Demolition Waste Rules 2016
2.13	The diesel generator sets to be used during the construction phase shall be low sulphur diesel type and shall conform to the norms and regulations prescribed under air and noise emission standards
2.14	The gaseous emissions from the DG set shall be dispersed through adequate stack height as per CPCB standards. Acoustic enclosure shall be provided to the DG sets to mitigate noise pollution. Low sulphur diesel shall be used. The location of the DG set and exhaust pipe height shall be as per the provisions of the Central Pollution Control Board (CPCB) norms
2.15	For indoor air quality, the ventilation provisions as per the National Building Code of India shall be complied with
2.16	Roads leading to or at the construction site must be paved and blacktopped (i.e., metallic roads should be built and used)
2.17	Dust Mitigation measures shall be displayed prominently at the construction site for easy public viewing
2.18	Construction and Demolition Waste Processing and Disposal site shall be identified and required dust mitigation measures will be notified at the site

3. Water Quality Monitoring And Preservation

S. No	EC Conditions
3.1	The natural drainage system should be maintained for ensuring unrestricted flow of water
3.2	No construction shall be allowed which obstructs the natural drainage through the site, in wetland and water bodies. Check dams, bio-swales, landscape, and other sustainable urban drainage systems (SUDS) are allowed for maintaining the drainage pattern and to harvest rainwater
3.3	Buildings shall be designed to follow the natural topography as far as possible. Minimum cutting and filling should be done
3.4	The total freshwater use shall not exceed the proposed requirement as mentioned in the application proposal
3.5	Storage tank of adequate capacity shall be provided for the storage of treated wastewater and all efforts shall be made to supply the same for construction purposes
3.6	During the construction phase, the project proponent shall ensure that the wastewater generated from the labour quarters/toilets shall be treated and disposed of in an environment-friendly manner. The project proponent shall also exercise the option of modular bio-toilets or provide proper and adequately designed septic tanks for the treatment of such wastewater and treated effluents shall be utilized for green area/plantation
3.7	The project proponent shall ensure a safe drinking water supply to the habitants. Adequate treatment facility for drinking water shall be provided, if required
3.8	The quantity of freshwater usage, water recycling and rainwater harvesting shall be measured and recorded to monitor the water balance as projected by the project proponent. The record shall be submitted to the Regional Office, MoEF&CC and SEIAA along with six-monthly monitoring reports
3.9	A certificate shall be obtained from the local body supplying water, specifying the total annual water availability with the local authority, the quantity of water already committed, the quantity of water allotted to the project under consideration, and the balance of water available. This should be specified separately for groundwater and surface water sources, ensuring that there is no negative impact on other users
3.10	At least 20% of the open spaces as required by the local building bye-laws shall be pervious. Use of Grass pavers, paver blocks with at least 50% opening, landscape, etc. would be considered as pervious surface
3.11	Dual pipe plumbing shall be installed for supplying fresh water for drinking, cooking and bathing, etc. and other for supply of recycled water for flushing, landscape irrigation, car washing, thermal cooling, air conditioning, etc
3.12	Installation of R.O. plants in the project will be discouraged in order to reduce water wastage in the form of RO reject. However, in case the requirement of installing RO plant is unavoidable, the rejected stream from the RO shall be separated and shall be utilized by storing the same within the particular component or in a common place in the project premises
3.13	The project proponent shall also adopt the new/innovative technologies like low water

S. No	EC Conditions																								
	discharging taps (faucet with aerators) /urinals with electronic sensor system /waterless urinals/twin flush cisterns/ sensor-based alarm system for overhead water storage tanks and make them a part of the environmental management plans/building plans so as to reduce the water consumption/groundwater abstraction																								
3.14	<p>The project proponent will provide plumbing system for the reuse of treated wastewater for flushing/other purposes etc. and will colour code the different pipelines carrying water/wastewater from different sources / treated wastewater as follows:</p> <table border="0"> <thead> <tr> <th data-bbox="379 501 459 533">Sr. No</th> <th data-bbox="507 501 746 533">Nature of the Stream</th> <th data-bbox="1257 501 1385 533">Color code</th> </tr> </thead> <tbody> <tr> <td data-bbox="379 544 400 575">a)</td> <td data-bbox="507 544 643 575">Fresh water</td> <td data-bbox="1257 544 1313 575">Blue</td> </tr> <tr> <td data-bbox="379 586 400 618">b)</td> <td data-bbox="507 586 1185 618">Untreated wastewater from Toilets/ urinal and from Kitchen</td> <td data-bbox="1257 586 1329 618">Black</td> </tr> <tr> <td data-bbox="379 629 400 660">c)</td> <td data-bbox="507 629 1225 696">Untreated wastewater from Bathing/shower area, hand washing (Washbasin / sinks) and from Cloth Washing</td> <td data-bbox="1257 629 1313 660">Grey</td> </tr> <tr> <td data-bbox="379 707 400 739">d)</td> <td data-bbox="507 707 1249 875">Reject water streams from RO plants and AC condensate (this is to be implemented wherever centralized AC system and common RO has been proposed in the Project). Further, in case of individual houses/establishment this proposal may also be implemented wherever possible.</td> <td data-bbox="1257 707 1329 739">White</td> </tr> <tr> <td data-bbox="379 887 400 918">e)</td> <td data-bbox="507 887 1241 954">Treated wastewater (for reuse only for plantation purposes) from the STP treating black water</td> <td data-bbox="1257 887 1329 918">Green</td> </tr> <tr> <td data-bbox="379 965 400 996">f)</td> <td data-bbox="507 965 1233 1032">Treated wastewater (for reuse for flushing purposes or any other activity except plantation) from the STP treating greywater</td> <td data-bbox="1257 965 1457 996">Green with strips</td> </tr> <tr> <td data-bbox="379 1043 400 1075">g)</td> <td data-bbox="507 1043 643 1075">Stormwater</td> <td data-bbox="1257 1043 1345 1075">Orange</td> </tr> </tbody> </table>	Sr. No	Nature of the Stream	Color code	a)	Fresh water	Blue	b)	Untreated wastewater from Toilets/ urinal and from Kitchen	Black	c)	Untreated wastewater from Bathing/shower area, hand washing (Washbasin / sinks) and from Cloth Washing	Grey	d)	Reject water streams from RO plants and AC condensate (this is to be implemented wherever centralized AC system and common RO has been proposed in the Project). Further, in case of individual houses/establishment this proposal may also be implemented wherever possible.	White	e)	Treated wastewater (for reuse only for plantation purposes) from the STP treating black water	Green	f)	Treated wastewater (for reuse for flushing purposes or any other activity except plantation) from the STP treating greywater	Green with strips	g)	Stormwater	Orange
Sr. No	Nature of the Stream	Color code																							
a)	Fresh water	Blue																							
b)	Untreated wastewater from Toilets/ urinal and from Kitchen	Black																							
c)	Untreated wastewater from Bathing/shower area, hand washing (Washbasin / sinks) and from Cloth Washing	Grey																							
d)	Reject water streams from RO plants and AC condensate (this is to be implemented wherever centralized AC system and common RO has been proposed in the Project). Further, in case of individual houses/establishment this proposal may also be implemented wherever possible.	White																							
e)	Treated wastewater (for reuse only for plantation purposes) from the STP treating black water	Green																							
f)	Treated wastewater (for reuse for flushing purposes or any other activity except plantation) from the STP treating greywater	Green with strips																							
g)	Stormwater	Orange																							
3.15	Water demand during construction should be reduced by the use of pre-mixed concrete, curing agents, and adopting other best practices																								
3.16	The Central Ground Water Authority (CGWA) provisions on rainwater harvesting should be followed. A rainwater harvesting plan needs to be designed where the minimum one recharge bore per 5,000 square meters of the plot area and a storage capacity of a minimum of one day of the total freshwater requirement shall be provided. In areas where groundwater recharge is not feasible, the rainwater should be harvested and stored for reuse. The groundwater shall not be withdrawn without approval from the Competent Authority																								
3.17	All recharge should be limited to shallow aquifers																								
3.18	No groundwater shall be used during the construction phase of the project. Only treated sewage/wastewater shall be used. A proper record in this regard should be maintained and should be available at the site																								
3.19	Any groundwater dewatering should be properly managed and shall conform to the approvals and the guidelines of the CGWA in the matter. Formal approval shall be taken from the CGWA for any groundwater abstraction or dewatering																								
3.20	The quantity of freshwater usage, water recycling, and rainwater harvesting shall be measured and recorded to monitor the water balance as projected by the project proponent. The record shall be submitted to the Regional Office, MoEF&CC, and SEIAA along with six-monthly Monitoring reports																								

S. No	EC Conditions
3.21	The project proponent shall install STP with latest technology followed by UF and achieve BOD parameter less than or equal to 10 mg/l for its treated effluent to be used onto land for plantation. STP shall be installed in a phased manner viz a viz in the module system designed in a way so as to efficiently treat the wastewater with an increase in its quantity due to rise in occupancy. The treated effluent from STP shall be recycled/reused for flushing and gardening. No treated water shall be disposed of into the municipal stormwater drain
3.22	No sewage or untreated effluent would be discharged through stormwater drains. Onsite sewage treatment with a capacity to treat 100% wastewater will be installed. The installation of the Sewage Treatment Plant (STP) shall be certified by an independent expert and a report in this regard shall be submitted to the Ministry / SEIAA before the project is commissioned for operation. Treated wastewater shall be reused on-site for landscape, flushing, and other end-uses. Excess treated water shall be discharged as per statutory norms notified by the Ministry of Environment, Forest, and Climate Change. Natural treatment systems shall be promoted
3.23	Periodical monitoring of water quality of treated sewage shall be conducted. Necessary measures should be made to mitigate the odour problem from STP
3.24	Sludge from the onsite sewage treatment, including septic tanks, shall be collected, conveyed and disposed of as per the Ministry of Urban Development, Central Public Health and Environmental Engineering Organization (CPHEEO) Manual on Sewerage and Sewage Treatment Systems, 2013

4. Noise Monitoring And Prevention

S. No	EC Conditions
4.1	Ambient noise levels shall conform to the commercial area both during day and night as per Noise Pollution (Control and Regulation) Rules, 2000. Incremental pollution loads on the ambient air and noise quality shall be closely monitored during the construction phase. Adequate measures shall be made to reduce noise levels during the construction phase, so as to conform to the stipulated standards by CPCB/SPCB
4.2	A noise level survey shall be carried out as per the prescribed guidelines and a report in this regard shall be submitted to the Regional Officer of the Ministry as a part of a six-monthly compliance report
4.3	Acoustic enclosures for DG sets, noise barriers for ground-run bays, earplugs for operating personnel shall be implemented as mitigation measures for noise impact due to ground sources

5. Energy Conservation Measures

S. No	EC Conditions
5.1	Compliance with the Energy Conservation Building Code (ECBC) of Bureau of Energy Efficiency shall be ensured. Buildings in the States which have notified their own ECBC, shall comply with the State ECBC
5.2	Outdoor and common area lighting shall be LED

S. No	EC Conditions
5.3	Concept of passive solar design that minimize energy consumption in buildings by using design elements, such as building orientation, landscaping, efficient building envelope, appropriate fenestration, increased daylighting design and thermal mass, etc. shall be incorporated in the building design. Wall, window, and roof U-values shall be as per ECBC specifications
5.4	Energy conservation measures like the installation of LEDs for lighting the area outside the building should be an integral part of the project design and should be in place before project commissioning
5.5	Solar, wind, or other renewable energy shall be installed to meet electricity generation equivalent to 1% of the demand load or as per the state level/ local building bye-laws requirement, whichever is higher
5.6	At least 30% of the rooftop area shall be used for generating Solar power for lighting in the apartments so as to reduce the power load on the grid. A separate electric meter shall be installed for solar power. Solar water heating shall be provided to meet 20% of the hot water demand of the commercial and institutional building or as per the requirement of the local building bye-laws, whichever is higher

6. Waste Management

S. No	EC Conditions
6.1	A certificate from the competent authority handling municipal solid waste (MSW), indicating the existing civic capacities of handling and their adequacy to cater to the M.S.W. generated from the project shall be obtained
6.2	The project proponent shall install mechanical composter of adequate capacity to treat wet component of the Solid Waste
6.3	Disposal of muck during the construction phase should not create any adverse effect on the neighbouring communities and should be safely disposed of taking the necessary precautions for general safety and health aspects of people, only in approved sites with the approval of the Competent Authority
6.4	Separate wet and dry bins must be provided in each unit and at the ground level for facilitating the segregation of waste. Solid waste shall be segregated into wet garbage and inert materials
6.5	Organic waste compost/ Vermiculture pit/ Organic Waste Converter/Mechanical Composter within the premises must be installed for treatment and disposal of the solid waste
6.6	All non-biodegradable waste shall be handed over to authorized recyclers for which a written tie-up must be done with the authorized recyclers
6.7	Any hazardous waste generated during the construction phase, shall be disposed of as per applicable rules and norms with the necessary approvals of the State Pollution Control Board
6.8	Use of environment-friendly materials in bricks, blocks and other construction materials, shall be required for at least 20% of the construction material quantity. These include fly ash bricks, hollow bricks, Autoclaved Aerated Concrete (AACs) bricks, fly ash lime gypsum blocks, Compressed earth

S. No	EC Conditions
	blocks, and other environmental friendly materials
6.9	Fly ash should be used as a building material in the construction as per the provision of Fly Ash Notification of September, 1999 and amended as on 27th August, 2003 and 25th January, 2016. Ready-mixed concrete must be used in building construction
6.10	Any waste from construction and demolition activities related thereto shall be managed so as to strictly conform to the Construction and Demolition Rules, 2016
6.11	Used Compact Fluorescent lamps (CFLs) and Tubular Fluorescent lamps (TFLs) should be properly collected and disposed of or sent for recycling as per the prevailing guidelines/ rules of the regulatory authority to avoid mercury contamination
6.12	The project proponent shall manage the solid waste generated from the project as per the sub-rule-7 of rule-4 of SWM Rules 2016

7. Green Cover

S. No	EC Conditions
7.1	No naturally growing tree should be felled/transplanted unless exigencies demand. Where absolutely necessary, tree felling shall be with prior permission from the concerned regulatory authority. Old trees should be retained based on girth and age regulations as may be prescribed by the Forest Department
7.2	At least a single line plantation all around the boundary of the project as proposed shall be provided. The open spaces inside the plot should be suitably landscaped and covered with vegetation of indigenous species/variety. The project proponent shall ensure the planting of trees in the project area at the identified location, as per the proposal submitted, with plants of native species preferably having broad leaves. The size of the plant thus planted should not be less than 8 ft and each plant shall be protected with a fence and properly maintained. The project proponent shall make adequate provisions of funds to ensure maintenance of the plants for a further period of three years and thereafter, protected throughout the entire lifetime of the Project. The species with heavy foliage, broad leaves, and wide canopy cover are desirable. Water intensive and/or invasive species should not be used for landscaping. The plantation should be undertaken as per SEIAA guidelines
7.3	The Project Proponent will plant 769 saplings of indigenous tree species. The plantation of saplings shall be carried out in the green belt area as a part of the tree plantation campaign “Ek Ped Ma Ke Naam” and the detail of the same shall be uploaded in the MeriLiFE Portal (https://merilife.nic.in) as an assurance to the MoEF&CC Office Memorandum dated 24.07.2024
7.4	The Project Proponent shall develop a green belt with native tree species (having canopy type structure and especially trees, and not grass) before the completion of the project. The greenbelt shall inter alia cover the entire periphery of the unit provided that the number of trees to be planted should not be less than one tree per 80 sqm of the total land area. The canopy trees shall also be planted around the parking area to provide shade to the parked vehicles
7.5	Where the trees need to be cut with prior permission from the concerned local Authority, a compensatory plantation in the ratio of 1: 10 (i.e. planting of 10 saplings of the same species for

S. No	EC Conditions
	every tree that is cut) shall be done and the newly planted saplings will be maintained for at least 5 years. Green belt development shall be undertaken as per the details provided in the project document
7.6	Topsoil should be stripped to a depth of 20 cm from the areas proposed for buildings, roads, paved areas, and external services. It should be stockpiled appropriately in designated areas and reapplied during the plantation of the proposed vegetation on site
7.7	The project proponent shall not use any chemical fertilizer /pesticides /insecticides and shall use only herbal pesticides/insecticides and organic manure in the green area
7.8	The green belt along the periphery of the plot shall achieve an attenuation factor conforming to the day and night noise standards prescribed for commercial land use
7.9	The project proponent shall submit the progress of developing the green belt in the six-monthly compliance report

8. Transport

S. No	EC Conditions
8.1	<p>A comprehensive mobility plan, as per Ministry of Urban Development (MoUD) best practices guidelines (URDPFI), shall be prepared to include motorized, non-motorized, public, and private networks. Road should be designed with due consideration for environment, and safety of users. The road system can be designed with the following criteria.</p> <ol style="list-style-type: none"> Hierarchy of roads with proper segregation of vehicular and pedestrian traffic. Traffic calming measures. Proper design of entry and exit points. Parking norms as per local regulations.
8.2	Vehicles hired for bringing construction material to the site should be in good condition and should have a valid pollution check certificate, conform to applicable air and noise emission standards, and should be operated only during non-peak hours
8.3	A detailed traffic management and traffic decongestion plan shall be drawn up to ensure that the current level of service of the roads within a 05 km radius of the project is maintained and improved upon after the implementation of the project. This plan should be based on the cumulative impact of all development and increased habitation being carried out or proposed to be carried out by the project or other agencies within this 05 Kms radius of the site in different scenarios of space and time. The traffic management plan shall be duly validated and certified by the State Urban Development department and the P.W.D./ Competent Authority for road augmentation and shall also have their consent to the implementation of components of the plan involving the participation of these departments
8.4	Traffic congestion near the entry and exit points from the roads adjoining the proposed project site must be avoided. Parking should be fully internalized and no public space should be utilized

9.

S. No	EC Conditions																																																															
9.1	The company shall have a well-laid down environmental policy duly approved by the Board of Directors. The environmental policy should prescribe standard operating procedures to have proper checks and balances and to bring into focus any infringements/deviation/violations of the environmental / forest/wildlife norms/conditions. The company shall have defined system of reporting infringements / deviation / violation of the environmental / forest / wildlife norms / conditions and / or shareholders / stakeholders. A copy of the board resolution in this regard shall be submitted to the MoEF&CC as a part of the six-monthly report																																																															
9.2	A separate Environmental Cell both at the project and company headquarters level, with qualified personnel shall be set up under the control of senior Executive, who will report directly to the head of the organization																																																															
9.3	<p>Action plan for implementing EMP and environmental conditions along with responsibility matrix of the company shall be prepared and shall be duly approved by competent authority. The year wise funds earmarked for environmental protection measures shall be kept in separate account and will not be diverted for any other purpose. The details of the amount to be spent on the various environmental activities proposed in environmental plan and additional environmental activities are given in the tables given below:</p> <p>Table-1: Environment Management Plan</p> <table border="1" data-bbox="375 907 1476 1579"> <thead> <tr> <th rowspan="2">S. No.</th> <th rowspan="2">Title</th> <th colspan="2">Construction Phase</th> <th>Operation Phase</th> </tr> <tr> <th>Capital Cost (in Lakhs)</th> <th>Recurring Cost (in Lakhs per Annum)</th> <th>Recurring Cost (in Lakhs per Annum)</th> </tr> </thead> <tbody> <tr> <td>1.</td> <td>Medical Cum First Aid</td> <td>3.5</td> <td>1.5</td> <td>--</td> </tr> <tr> <td>2.</td> <td>Toilets for workers</td> <td>8.0</td> <td>2.0</td> <td>--</td> </tr> <tr> <td>3.</td> <td>Wind breaking curtains</td> <td>20.0</td> <td>5.0</td> <td>--</td> </tr> <tr> <td>4.</td> <td>Sprinklers for suppression of dust</td> <td>8.0</td> <td>4.0</td> <td>--</td> </tr> <tr> <td>5.</td> <td>Sewage Treatment Plant</td> <td>210.0</td> <td>--</td> <td>14.0</td> </tr> <tr> <td>6.</td> <td>Solid waste Management</td> <td>55.0</td> <td>--</td> <td>15.50</td> </tr> <tr> <td>7.</td> <td>Green belt development</td> <td>15.0</td> <td>--</td> <td>15.0</td> </tr> <tr> <td>8.</td> <td>Rain water harvesting</td> <td>25.0</td> <td>--</td> <td>5.0</td> </tr> <tr> <td>9.</td> <td>Smog gun</td> <td>10.0</td> <td>4.0</td> <td>--</td> </tr> <tr> <td>10.</td> <td>Material Recovery Facility</td> <td>35.0</td> <td>--</td> <td>--</td> </tr> <tr> <td colspan="2">Total</td> <td>Rs. 429.50 Lakhs</td> <td>Rs. 16.50 Lakhs</td> <td>Rs. 49.50 Lakhs</td> </tr> </tbody> </table> <p>The project proponent shall undertake EMP as per Table no. 01 above. The entire cost of the Environmental Management Plan (EMP) will continue to be borne by the project proponent for the lifetime of the project. Year-wise progress of implementation of the action plan shall be reported to the Regional Office, MoEF&CC/ SEIAA along with the six-monthly compliance report.</p> <p>The project proponent shall also submit physical/financial progress along with utilization certificates and documentary evidence (including photographs and short video clips) of the works undertaken in lieu of the additional environmental activities by the project proponent in all the subsequent six-monthly compliance reports till the completion of these activities.</p>	S. No.	Title	Construction Phase		Operation Phase	Capital Cost (in Lakhs)	Recurring Cost (in Lakhs per Annum)	Recurring Cost (in Lakhs per Annum)	1.	Medical Cum First Aid	3.5	1.5	--	2.	Toilets for workers	8.0	2.0	--	3.	Wind breaking curtains	20.0	5.0	--	4.	Sprinklers for suppression of dust	8.0	4.0	--	5.	Sewage Treatment Plant	210.0	--	14.0	6.	Solid waste Management	55.0	--	15.50	7.	Green belt development	15.0	--	15.0	8.	Rain water harvesting	25.0	--	5.0	9.	Smog gun	10.0	4.0	--	10.	Material Recovery Facility	35.0	--	--	Total		Rs. 429.50 Lakhs	Rs. 16.50 Lakhs	Rs. 49.50 Lakhs
S. No.	Title			Construction Phase		Operation Phase																																																										
		Capital Cost (in Lakhs)	Recurring Cost (in Lakhs per Annum)	Recurring Cost (in Lakhs per Annum)																																																												
1.	Medical Cum First Aid	3.5	1.5	--																																																												
2.	Toilets for workers	8.0	2.0	--																																																												
3.	Wind breaking curtains	20.0	5.0	--																																																												
4.	Sprinklers for suppression of dust	8.0	4.0	--																																																												
5.	Sewage Treatment Plant	210.0	--	14.0																																																												
6.	Solid waste Management	55.0	--	15.50																																																												
7.	Green belt development	15.0	--	15.0																																																												
8.	Rain water harvesting	25.0	--	5.0																																																												
9.	Smog gun	10.0	4.0	--																																																												
10.	Material Recovery Facility	35.0	--	--																																																												
Total		Rs. 429.50 Lakhs	Rs. 16.50 Lakhs	Rs. 49.50 Lakhs																																																												

10. Human Health Issues

S. No	EC Conditions
10.1	All workers working at the construction site and involved in loading, unloading, carriage of construction material and construction debris, or working in any area with dust pollution shall be provided with dust masks
10.2	For indoor air quality, the ventilation provisions as per the National Building Code of India should be followed
10.3	An emergency preparedness plan based on the Hazard Identification and Risk Provision shall be made for the housing of construction labour within the site with all necessary infrastructure and facilities such as fuel for cooking, mobile toilets, mobile STP, safe drinking water, and medical health care, creche, etc. The housing may be in the form of temporary structures to be removed after the completion of the project
10.4	Occupational health surveillance of the workers shall be done regularly
10.5	A First Aid Room shall be provided at the project site both during construction and operations of the project

11. Miscellaneous

S. No	EC Conditions
11.1	This environmental clearance will be valid for a period of ten years from the date of its issue as per MoEF&CC, GoI notification No. S.O. 1807 (E) dated 12.04.2022 or till the completion of the project, whichever is earlier
11.2	The project proponent shall obtain a completion and occupancy certificate from the Competent Authority and submit a copy of the same to the SEIAA, Punjab before allowing any occupancy
11.3	The project proponent shall comply with the conditions of CLU, if obtained
11.4	The project proponent shall prominently advertise in at least two local newspapers of the District or State, of which one shall be in the vernacular language within seven days indicating that the project has been accorded environmental clearance and the details of MoEF&CC/SEIAA website where it is displayed
11.5	The copies of the environmental clearance shall be submitted by the project proponent to the Heads of local bodies, Panchayats and Municipal Bodies in addition to the relevant offices of the Government who in turn have to publicly display the same for 30 days from the date of receipt
11.6	The project proponent shall upload the status of compliance of the stipulated environmental clearance conditions, including results of monitored data on their website and update the same on a half-yearly basis
11.7	The project proponent shall submit six-monthly reports on the status of the compliance of the stipulated environmental conditions on the website of the Ministry of Environment, Forest and Climate Change at the Environment Clearance portal and submit a copy of the same to SEIAA
11.8	The project proponent shall submit the environmental statement for each financial year in Form-V

S. No	EC Conditions
	to the concerned Punjab Pollution Control Board as prescribed under the Environment (Protection) Rules, 1986, as amended subsequently and put the same on the website of the company
11.9	The project proponent shall inform the Regional Office as well as SEIAA Punjab, the date of financial closure and final approval of the project by the concerned authorities, commencing the land development work and start of production operation
11.10	The project authorities must strictly adhere to the stipulations made by the Punjab Pollution Control Board and the State Government
11.11	The project proponent shall abide by all the commitments and recommendations made in the EIA/EMP report, commitments made during the public hearing and made to SEIAA / SEAC during their presentation
11.12	No further expansion or modifications in the project shall be carried out other than those permitted in this EC without prior approval of SEIAA. In case of deviation or alterations in the project proposal from those submitted to the Ministry/SEIAA for clearance, a fresh reference shall be made to the Ministry/SEIAA, as applicable, to assess the adequacy of conditions imposed and to include additional environmental protection measures required, if any
11.13	The Regional Office, MoEF&CC, Chandigarh, Punjab Pollution Control Board and SEIAA/ SEAC members nominated for the purpose shall monitor the compliance of all the stipulated conditions. The project authorities should extend full cooperation to the officer(s) entrusted with this monitoring by furnishing the requisite data/ information/monitoring reports
11.14	This Environmental Clearance is granted subject to the final outcome of related pending cases in the Hon'ble Supreme Court of India, Hon'ble High Courts, Hon'ble NGT and any other Court of Law as may be applicable to the project